SAFETY DATA SHEET LATERAL PRO G

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: LATERAL PRO G

DISTRIBUTOR: EXACTO INC

> 200 OLD FACTORY RD SHARON, WI 53585

EMERGENCY CHEMTREC PHONE: US & CANADA: 1-800-424-9300

CHEMICAL NAME: Proprietary mixture CHEMICAL FAMILY: Surfactant blend

CHEMICAL FORMULA: Mixture

PRODUCT USE: Granular Soil Wetter

SECTION 1 NOTES: None

SECTION 2: HAZARDS

GHS Ratings:

Toxicity Categories

NONE

Signal Word: NONE

GHS HAZARDS

Not regulated.

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200:

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard

(29CFR 1910.1200)

GHS PRECAUTIONS

P102 Keep out of reach of children.

P103 Read label before use.

P233 Keep container tightly closed.

P234 Keep only in original container.

P261 Avoid breathing dust.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves, protective clothing, eye protection and face

protection.

P301+312 IF SWALLOWED: Call a POISON CENTER or physician if you feel

SDS DATE: 04/16/2025

unwell.

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do then continue rinsing cautiously.

SECTION 3:INFORMATION ON COMPONENTS

INGREDIENT CAS NO. % WT

Not regulated.

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200: This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard (29CFR 1910.1200)

NOTE: Product does NOT contain any pesticides or pest control agents.

SECTION 3 NOTES: These specific chemical identities and or exact percentage (concentration) of composition have been withheld as a trade secret.

CARCINOGENICITY

OSHA: ACGIH: No NTP: IARC: OTHER: No Nο Nο Nο

SECTION 4: FIRST AID MEASURES

Have product container with you if calling the poison control center, doctor or seeking medical attention.

IF IN EYES: Rinse cautiously with water. Remove contact lenses if present and easy to do then continue rinsing.

IF ON SKIN OR CLOTHING: Take off contaminated clothing and wash it before reuse.

IF SWALLOWED: Unless advised otherwise by a poison control center or doctor, have person rinse mouth with water, if able. Do not give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:

SECTION 4 NOTES: None

SECTION 5: FIRE FIGHTING MEASURES

NFPA HAZARD CLASSIFICATION

HEALTH: 0 FLAMMABILITY: 1 REACTIVITY: 0 OTHER: -

IN CASE OF FIRE: Use water spray, dry chemical, or Carbon dioxide.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-container breathing apparatus and avoid breathing fumes or dust.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None known

HAZARDOUS DECOMPOSITION PRODUCTS: Under fire conditions will form oxides of carbon.

SECTION 5 NOTES: None

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Surround and absorb all spills. Material should be collected and disposed in proper manner. Dike the

area to prevent spill from spreading. Soak up spill with a suitable absorbent such as clay, sawdust or kitty litter. Sweep up absorbed material and place in a chemical waste container for disposal. Wear

SDS DATE: 04/16/2025

suitable protective equipment.

SECTION 6 NOTES: None

SECTION 7: HANDLING AND STORAGE

HANDLING Keep out of reach of children. Read label before use. Do not eat, drink or smoke when using this product. Avoid

breathing dust. Wash hands thoroughly after handling. Wear protective gloves, protective clothing, eye

protection and face protection.

STORAGE: Store in a cool well-ventilated place. Keep in original container tightly closed. Do not reuse empty container. Do

not store with food, feed, or other material to be used or consumed by humans or animals. Do not contaminate

water supplies. store between 40° and 90° F.

SECTION 7 NOTES: None

SAFETY DATA SHEET LATERAL PRO G

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values HMIS=B

VENTILATION: Normal room ventilation (mechanical) or outdoor use should be satisfactory.

RESPIRATORY PROTECTION: Not necessary unless ventilation is inadequate. Then use OSHA or NIOSH approved respirator, as

appropriate.

EYE PROTECTION: SAFETY GLASSES.

SKIN PROTECTION: gloves, long-sleeved shirts and pants.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Eye wash and safety shower should be easily accessible.

WORK HYGIENIC PRACTICES: Wash thoroughly with soap and water after handling product and before eating, drinking, or using

tobacco products. Clean affected clothing, shoes, and protective equipment before reuse.

SDS DATE: 04/16/2025

Unknown

EXPOSURE GUIDELINES: If exposed, see section 4 for acute exposure first aid.

SECTION 8 NOTES: None

BOILING POINT RANGE:

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: granular FLAMMABLE LIMITS IN AIR, UPPER: Unknown (% BY VOLUME) LOWER: Unknown

ODOR: Mild

ORDER THRESHOLD; Not known VAPOR PRESSURE (mmHg):

PHYSICAL STATE: dry F: Unknown
C: Unknown

G. Oliki

pH AS SUPPLIED: Not applicable VAPOR DENSITY (AIR = 1): @
pH (Other): F: Unknown

C: Unknown

INITIAL BOILING POINT: F: Unknown
C: Unknown RELATIVE DENSITY: NA

C: Unknown EVAPORATION RATE:

F: Unknown

BASIS (butyl acetate=1):

MELTING POINT: F: Unknown

C: Unknown SOLUBILITY IN WATER: Soluble

FREEZING POINT: F: Unknown C: Unknown C: Unknown

AUTO-IGNITION TEMPERATURE: Unknown

FLASH POINT: F: >200

C: >93 DECOMPOSITION TEMPERATURE: Unknown

METHOD USED: PMCC VISCOSITY: @ Not determined F: Unknown

FLAMMABILITY (solid, gas): Can burn C: Unknown

SECTION 9 NOTES: VALUES ARE NOT PRODUCT SPECIFICATIONS.

Note: THESE PHYSICAL DATA ARE TYPICAL VALUES BASED ON MATERIAL TESTED BUT MAY VARY FROM SAMPLE TO SAMPLE. TYPICAL VALUES SHOULD NOT BE CONSTRUED AS A GUARANTEED ANALYSIS OF ANY SPECIFIC LOT OR AS SPECIFICATION ITEMS.

SAFETY DATA SHEET LATERAL PRO G

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable • Unstable •

CONDITIONS TO AVOID (STABILITY): This product is stable when handled under the stated conditions.

INCOMPATIBILITY (MATERIAL TO AVOID): This product may react violently with isocyanates. Avoid strong oxidizers.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Stable except when exposed to the above materials or fire conditions.

HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID (POLYMERIZATION): None known

SECTION 10 NOTES: None

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION:

MIXTURE TOXICITY

COMPONENT TOXICITY Not available

SECTION 11 NOTES: None

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION:Biodegradation:

Test method: OECD 301B; ISO 9439; 92/69/EEC, C.4-C

Method of analysis: CO2 formation relative to the theoretical value

Degree of elimination: > 60 % (28 d) Evaluation: Readily biodegradable.

Environmental toxicity

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction

SDS DATE: 04/16/2025

of low concentrations.

Other ecotoxicological advice: The product has not been tested. The statement has been derived from products of a similar structure

and composition.

SECTION 12 NOTES: None

SAFETY DATA SHEET LATERAL PRO G

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Do not contaminate water, food or feed by storage or disposal. Dispose of contents in container to an

approved waste disposal facility in accordance with all local, regional, national and international

SDS DATE: 04/16/2025

regulations.

CONTAINER DISPOSAL: Triple rinse (or equivalent) adding rinse water to application tank. Offer container for recycling or

dispose of in a sanitary landfill or by other procedures approved by local regulations.

RCRA HAZARD CLASS: None **SECTION 13 NOTES:** None

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

DOT Shipping Description: Not Regulated

U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610; CLASS: 60) Consult appropriate ICAO/IATA and IMDG regulations for shipment requirements in the Air and Maritime shipping modes.

OTHER AGENCIES: None **SECTION 14 NOTES:** None

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): All components of this product are listed or excluded from listing on the US Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):

CAS Number Range in % Glycol ethers (fraction of product matching EPA definition) 0.1-0.299 **Mixture** 75-21-8 <0.001 10

Residual ethylene oxide (typical)

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

Section 302/304 Extremely Hazardous Substances

Chemical Name CAS Number Range in % TPQ RQ

Residual ethylene oxide (typical) 75-21-8 < 0.001 Below reportable concentrations

311/312 HAZARD CATEGORIES:

This product has been reviewed according to the EPA "Hazard Categories" promulgated under Section 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Immediate Health Hazard

313 REPORTABLE INGREDIENTS:

CAS Number Chemical Name Concentration

Glycol ethers (fraction of product matching EPA definition) Mixture >0.1

STATE REGULATIONS:

WARNING! This product contains a detectable amount of ethylene oxide, which is known to the State of California to cause cancer and/or reproductive toxicity.

Ethoxylated products may contain residual amounts of ethylene oxide (EO) which can accumulate in the container headspace and be released into the ambient environment. This process is enhanced when the product is agitated, as during tank car loading and unloading, and blending operations. Ethylene oxide causes tumors in laboratory animals. The Occupational Safety and Health Administration (OSHA) Permissible Exposure Level (PEL) for EO is 1 ppm for an eight-hour time weighted average exposure. The standard regulates occupational exposure to EO from all sources, including products containing residual EO. It is the responsibility of the employer to comply with OSHA ethylene oxide standard (29) CFR 1910.1047).

INTERNATIONAL REGULATIONS: None

SECTION 15 NOTES: None

SAFETY DATA SHEET LATERAL PRO G

SECTION 16: OTHER INFORMATION

OTHER INFORMATION: None

DISCLAIMER:

The recommendation for safe handling and protection procedures is believed to be generally suitable for the standard uses of this compound. However, each user should identify his intended uses of this material and determine whether they are appropriate. All data included in this document is released as typical values and should not be utilized to determine the suitability of this material for a particular use or purpose. No warranty, either expressed or implied, is hereby made, nor do we give permission, inducement, or recommendations to practice any patented invention without a license. All data is offered for consideration, investigation and verification purposes only.

SDS DATE: 04/16/2025