

AquiMax[®]

Soil Moisture Management System

CONTAINS NON PLANT FOOD INGREDIENTS

Active Ingredients:

30% Ethylene oxide, propylene oxide block polymer

30% Polyacrylamide

40% Total Other Ingredients

Information regarding the contents and levels of metals in this product is available on the internet <http://www.aapfco.org/metals.html>

Not recommended for use as a fertilizer substitute

**U.S. Patent No. 9,307,758 ; 9,309,378; 9,357,769; 9,428,630; 9,631,082;
10,138,366; 10,647,845**

KEEP OUT OF REACH OF CHILDREN

CAUTION

Read label before use. Keep container tightly closed. Keep only in original container. Avoid breathing spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves, protective clothing, eye protection.

SLIPPERY WHEN WET DO NOT FREEZE

NET CONTENTS: 2.5 U.S. Gallons (9.46 L)



Manufactured by Exacto, Inc
200 Old Factory Road « Sharon, WI 53585
262.456.5200 « www.AquiMax.com

FIRST AID

Have the product container with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present, after the first 5 minutes, then continue cautiously rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing and wash it before reuse. Wash skin with plenty of soap and water for several minutes.

IF SWALLOWED: Unless advised otherwise by a poison control center or doctor, have person rinse mouth with water, if able.

IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing.

GENERAL INFORMATION

AquiMax® is a soil water management aid and polymer system that improves infiltration, and the lateral movement of water through the soil profile.

AquiMax® facilitates wetting, quick penetration of irrigation/ precipitation into weather hardened, arid soils.

DIRECTIONS FOR USE

Irrigation injection is the most desired application method.

This product is not intended for application with ground spray equipment and should not be tank mixed with any other product.

AquiMax® may be delivered via pivot, linear, sprinkler or drip tape systems.

Calibrate the flow rate prior to application according to the equipment manufacturer's directions or through visual flow volume reduction. Adjust variable speed pump to proper flow rate.

After application, flush the pump system with water.

NOTE: AquiMax® is a soil water management system and is NOT effective on foliage. When using an over-the-top application,

WARRANTY: EXACTO®, INC. (Exacto) represents and warrants that its products are manufactured in accordance with the product's specifications and that its products, at the time of delivery to the purchaser, shall be free from all material defects. EXACTO MAKES NO WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE DISCLAIMED. FURTHER, IT IS UNDERSTOOD AND AGREED THAT EXACTO'S LIABILITY SHALL NOT EXCEED THE RETURN OF THE AMOUNT OF THE PURCHASE PRICE PAID BY PURCHASER AND UNDER NO CIRCUMSTANCES SHALL EXACTO BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES. Products for which a warranty claim is made are to be returned transportation prepaid to Exacto's production facility. Any use not in accordance with product directions and precautionary statements, and any modifications or additives to the products, or any adulteration, dilution or alteration by the purchaser shall void this warranty. No employee or representative of Exacto is authorized to change this warranty in any way or to grant any other warranty.

treatment must be immediately followed with a ¼ inch of water to ensure soil contact.

Care should be taken by testing this product on sensitive plants before full application is performed.

USE RATE

Read and follow all pump and equipment manufacturer instructions.

Irrigation and large volume sprays: Apply **AquiMax**® at a rate of 2.5 to 4 quarts per acre.

Apply 2 to 3 times per season before crop stress periods: generally, early seedling development, before flowering or tasseling, and early post-reproductive cycle.

STORAGE AND DISPOSAL

Handling: Spills will be slippery and adding water to spills will increase slipperiness. Treat spills with absorbent material. When absorbent material is disposed of, rinse area thoroughly until slipperiness disappears.

Storage: Store in a cool well-ventilated place. Keep in original container tightly closed. Do not reuse empty container. Do not store with food, feed, or other material to be used or consumed by humans or animals. Do not contaminate water supplies. For optimal storage, store between 40° and 90° F.

Disposal: Do not contaminate water, food or feed by storage or disposal. Dispose of contents in container to an approved waste disposal facility in accordance with all federal, state and local regulations. Triple rinse (or equivalent) adding rinse water to application tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by local regulations. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org

